

BLO-AIR 52

Recirculation fan



Ventec Canada inc. certifies that the Blo-Air 52 shown herein is licensed to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211 and comply with the requirements of the AMCA Certified Ratings Program.



La ventilation est notre spécialité
Ventilation is what we do



BLO-AIR 52



TECHNICAL SPECIFICATION

MODEL	VOLTAGE	FREQUENCY (Hz)	PH	AIR FLOW (CFM)	AIR FLOW EFFICIENCY (CFM/W)	THRUST (lbf)	THRUST EFFICIENCY (lbf/kw)	SPEED (RPM)
4114011	115/208-230V	60	1	19520	42.64	16.57	36.2	415
4114012	115/208-230V	60	1	22960	22.88	22.93	22.88	623

Blo-Air 52 can be offered with three phase motor 208/230-460V - 60Hz and three phase motor 575V - 60Hz

*The AMCA Certified Ratings Seal applies to airflow rate at free delivery only.

**Speed (RPM) shown is nominal. Performance is based on actual speed of test.

****Only performance for three phase motor 115/208-230V - 60Hz at 415 RPM and 623 RPM is AMCA certified.**


Discount on energy consumed : contact you energy supplier for more information.



BLO-AIR 52

BLO-AIR 52

Side view




*This data is not AMCA certified

Figure 1 - Pattern of wind speed (ft / min) of the Blo-Air 52

BLO-AIR 52

Top view



*This data is not AMCA certified

Figure 2 - Pattern of wind speed (ft/min) 4 feet above the ground of the Blo-Air 52.



BLO-AIR 52

Recirculation fan

- **De-stratifies ambient air**
- **Housing and louvers constructed of robust fibreglass**
- **Can be installed in multiple configurations; on an existing building column, on an anchored post or suspended.**
- **Cools the production animals, staff and bedding.**
- **Quiet operation**


For the last 25 years VENTEC CANADA helps its customers in animal production to optimize the efficiency of their operations.

VENTEC CANADA products reduce animal stress due to temperature change, diseases, injuries and mortality through innovative solutions for effective ventilation, patented and durable.

The accessibility of VENTEC CANADA products is via an international distribution network.

Contact us to get your nearest supplier

 1 800 361-1003 |  450 383-4004 |  info@ventec.ca |  www.ventec.ca

 4000, avenue Pinard, Saint-Hyacinthe (Quebec) Canada J2S 8K4